BUYER SELECTION GUIDE

Cooking appliances. Built around your market.

10 selected models | Product comparison | Individual specification sheets



Built-in gas cooktops



Gas ranges & tabletop stoves



Electric hot plates

Manufacturing strength. Global market service.

50,000 m² factory | 700 employees | Approximately 30 gas + electric assembly lines

In-house tooling, stamping, pan supports, gas tubes, valves and burner heads.

Tell us your model, destination and quantity.

WhatsApp +8619120045074

ecobridgegasstove@gmail.com

COMPARE THE FORMAT FIRST

Choose a clear place in your range.

Built-in gas cooktops

Model	Positions	Surface	Pan support	Width	40HQ ref.
6504S	5	Stainless steel	Enameled	860 mm	960 pcs
6504S-1	5	Stainless steel	Cast iron	860 mm	960 pcs
6502G	5	Tempered glass	Enameled	760 mm	1040 pcs
6502G-1	5	Tempered glass	Cast iron	760 mm	1040 pcs
6402G	4	Tempered glass	Enameled	600 mm	1310 pcs
6201S	2	Stainless steel	Enameled	300 mm	2440 pcs

Other cooking formats

Model	Format / defining detail
50A-4G	4 cooktop gas burners + 55 L gas oven
50B-4G	4 cooktop gas burners + 68 L gas oven
6032	2-burner tabletop gas stove with ribbed hinged cover
SHP-5844B	2 electric heating plates; 1000 W + 1500 W

Catalog figures support shortlisting. Final configuration, packing revision, loading, MOQ and delivery schedule are confirmed against the approved order specification.

Discuss your shortlist

BUILT-IN GAS COOKTOPS

6504S

5 Burner Stainless Steel Gas Cooktop - Enameled Pan Support



Built-in gas hob for appliance importers and private-label programs. Compare width, surface and pan supports before confirming the installation drawing.

Specification	Catalog reference
Model	6504S
Product type	5-burner built-in gas cooktop
Surface	Stainless steel
Pan support	Enameled
Heat inputs	3.3 kW + 2.75 kW + 1.75 kW x 2 + 1.0 kW
Product size	860 x 510 x 120 mm
Carton size	910 x 550 x 140 mm
Net / gross weight	9.0 / 10.7 kg (catalog line)
Packing quantity	1 unit per carton
20GP / 40HQ	390 / 960 pcs (reference)

Overall dimensions are not the countertop cut-out. Confirm gas, pressure, inlet, ignition and safety configuration for the destination.

View product online

Request a quotation

Configuration, MOQ and lead time: confirmed against your project.

Website snapshot checked 29 October 2026

BUILT-IN GAS COOKTOPS

6504S-1

5 Burner Stainless Steel Gas Cooktop - Cast Iron Pan Support



Built-in gas hob for appliance importers and private-label programs. Compare width, surface and pan supports before confirming the installation drawing.

Specification	Catalog reference
Model	6504S-1
Product type	5-burner built-in gas cooktop
Surface	Stainless steel
Pan support	Cast iron
Heat inputs	3.3 kW + 2.75 kW + 1.75 kW x 2 + 1.0 kW
Product size	860 x 510 x 120 mm
Carton size	910 x 550 x 140 mm
Net / gross weight	11.5 / 13.2 kg (catalog line)
Packing quantity	1 unit per carton
20GP / 40HQ	390 / 960 pcs (reference)

Overall dimensions are not the countertop cut-out. Confirm gas, pressure, inlet, ignition and safety configuration for the destination.

View product online

Request a quotation

Configuration, MOQ and lead time: confirmed against your project.

Website snapshot checked 29 October 2026

BUILT-IN GAS COOKTOPS

6502G

5 Burner Glass Gas Cooktop - Enameled Pan Support



Built-in gas hob for appliance importers and private-label programs. Compare width, surface and pan supports before confirming the installation drawing.

Specification	Catalog reference
Model	6502G
Product type	5-burner built-in gas cooktop
Surface	Tempered glass
Pan support	Enameled
Heat inputs	3.3 kW + 2.75 kW + 1.75 kW x 2 + 1.0 kW
Product size	760 x 510 x 120 mm
Carton size	810 x 550 x 145 mm
Net / gross weight	10.7 / 12.3 kg (catalog line)
Packing quantity	1 unit per carton
20GP / 40HQ	420 / 1040 pcs (reference)

Overall dimensions are not the countertop cut-out. Confirm gas, pressure, inlet, ignition and safety configuration for the destination.

View product online

Request a quotation

Configuration, MOQ and lead time: confirmed against your project.

Website catalog record checked 27 October 2026

BUILT-IN GAS COOKTOPS

6502G-1

5 Burner Glass Gas Cooktop - Cast Iron Pan Support



Built-in gas hob for appliance importers and private-label programs. Compare width, surface and pan supports before confirming the installation drawing.

Specification	Catalog reference
Model	6502G-1
Product type	5-burner built-in gas cooktop
Surface	Tempered glass
Pan support	Cast iron
Heat inputs	3.3 kW + 2.75 kW + 1.75 kW x 2 + 1.0 kW
Product size	760 x 510 x 120 mm
Carton size	810 x 550 x 145 mm
Net / gross weight	12.4 / 14.0 kg (catalog line)
Packing quantity	1 unit per carton
20GP / 40HQ	420 / 1040 pcs (reference)

Overall dimensions are not the countertop cut-out. Confirm gas, pressure, inlet, ignition and safety configuration for the destination.

View product online

Request a quotation

Configuration, MOQ and lead time: confirmed against your project.

Website catalog record checked 27 October 2026

BUILT-IN GAS COOKTOPS

6402G

4 Burner Glass Gas Cooktop - Enameled Pan Support

Built-in gas hob for appliance importers and private-label programs. Compare width, surface and pan supports before confirming the installation drawing.



Specification	Catalog reference
Model	6402G
Product type	4-burner built-in gas cooktop
Surface	Tempered glass
Pan support	Enameled
Heat inputs	3.3 kW + 1.75 kW x 2 + 1.0 kW
Product size	600 x 510 x 120 mm
Carton size	642 x 550 x 140 mm
Net / gross weight	8.5 / 10.1 kg (catalog line)
Packing quantity	1 unit per carton
20GP / 40HQ	532 / 1310 pcs (reference)

Overall dimensions are not the countertop cut-out. Confirm gas, pressure, inlet, ignition and safety configuration for the destination.

View product online

Request a quotation

Configuration, MOQ and lead time: confirmed against your project.

Website catalog record checked 27 October 2026

BUILT-IN GAS COOKTOPS

6201S

2 Burner Stainless Steel Gas Cooktop - Enameled Pan Support

Built-in gas hob for appliance importers and private-label programs. Compare width, surface and pan supports before confirming the installation drawing.



Specification	Catalog reference
Model	6201S
Product type	2-burner built-in gas cooktop
Surface	Stainless steel
Pan support	Enameled
Heat inputs	3.3 kW + 1.75 kW
Product size	300 x 510 x 120 mm
Carton size	360 x 550 x 140 mm
Net / gross weight	3.5 / 4.4 kg (catalog line)
Packing quantity	1 unit per carton
20GP / 40HQ	1000 / 2440 pcs (reference)

Overall dimensions are not the countertop cut-out. Confirm gas, pressure, inlet, ignition and safety configuration for the destination.

View product online

Request a quotation

Configuration, MOQ and lead time: confirmed against your project.

Website catalog record checked 27 October 2026

FREESTANDING GAS RANGES

50A-4G

Compact Black Gas Range



Four cooktop gas burners with a 55 L oven and lower gas burner.
Compact black body with stainless steel cooktop surface.

Specification	Catalog reference
Model	50A-4G black version
Product size	50 x 50 x 81 cm, with rubber feet
Cooktop surface	Stainless steel tabletop plate
Body and rear guard	Black painted body and black rear guard
Cooktop burners	4 gas burners: 1 large, 2 medium and 1 small
Burner components	Black stainless steel caps with polished aluminum bases
Pan supports	Two 4 x 7 mm enameled top grids
Ignition	Manual ignition
Oven	55 L capacity with lower gas burner
Door and handle	Black-frame double-glass oven door with black painted metal handle
Included oven parts	One chromed oven rack and one oven bottom tray
Container loading	CBU 276 pcs/40HQ

Confirm gas configuration, carton dimensions and shipping weights. Loading is a CBU catalog reference.

View product online **Request a quotation**

Configuration, MOQ and lead time: confirmed against your project.

Website catalog record; dimensions and loading rechecked 29 October 2026

FREESTANDING GAS RANGES

50B-4G

Black Gas Range with 68 L Oven



Four cooktop burners plus one lower oven gas burner: five gas burners in total. The cooktop itself has four burner positions.

Specification	Catalog reference
Model	50B-4G black version
Product size	50 x 50 x 86 cm, with rubber feet
Cooktop surface	Stainless steel tabletop plate
Body and rear guard	Black painted body and black rear guard
Total gas burners	5: four cooktop burners plus one lower oven burner
Cooktop burners	4: 1 large, 2 medium and 1 small
Burner components	Black stainless steel caps with polished aluminum bases
Pan supports	Two 4 x 7 mm enameled top grids
Ignition	Manual ignition
Oven	68 L capacity with lower gas burner
Door and handle	Black-frame double-glass oven door with black painted metal handle
Included oven parts	One chromed oven rack and one oven bottom tray
Container loading	CBU 276 pcs/40HQ

Confirm gas configuration, carton dimensions and shipping weights. Loading is a CBU catalog reference.

View product online **Request a quotation**

Configuration, MOQ and lead time: confirmed against your project.

Website snapshot checked 29 October 2026

TABLETOP GAS STOVES

6032

Two-Burner Tabletop Gas Stove



Low-profile two-burner tabletop gas cooker with a black body, two front controls and a full ribbed hinged cover.

Specification	Catalog reference
Model	6032
Product type	low-profile tabletop two-burner gas cooker
Cooking layout	2 visible gas burners
Visible structure	black tabletop body, two front controls and full ribbed hinged cover
Product size	464 x 257 x 65 mm
Color box size	474 x 68 x 318 mm
Packing size	570 x 330 x 490 mm
Packing quantity	8 units per carton
Net / gross weight	15.36 / 18.13 kg (catalog carton line; 8 units per carton)
Container quantity	2,384 / 5,856 pcs (20GP / 40HQ reference)

Weight is listed on the eight-unit carton line. Confirm gas, pressure, inlet, packing revision and loading before ordering.

View product online

Request a quotation

Configuration, MOQ and lead time: confirmed against your project.

Website catalog record checked 26 October 2026

ELECTRIC HOT PLATES

SHP-5844B

Two-Burner Electric Hot Plate



Two electric heating plates with a listed power combination of 1000 W + 1500 W. Compare supply, plug and packing requirements for your destination.

Specification	Catalog reference
Model	SHP-5844B
Heating layout	Two electric heating plates
Power	1000 W + 1500 W
Supply	220-240 V, 50/60 Hz
Plug	VDE plug, catalog configuration
Power cord	3 x 1.0 x 80 cm, full copper (as listed)
Finish	Matte film coating
Control knobs	Aluminum alloy
Packing	3-ply color box + 5-ply outer box + foam
Quantity per carton	4 units

Request dimension units and weight basis before freight calculation. Plug and electrical configuration require destination-specific confirmation.

View product online

Request a quotation

Configuration, MOQ and lead time: confirmed against your project.

Published specification table checked 26 October 2026

FROM SHORTLIST TO QUOTATION

Send a brief we can work with.

Include in your inquiry	Why it helps
Model and quantity	Model codes, trial quantity, repeat volume and preferred shipment window.
Destination market	Country, retail channel, languages and applicable document requirements.
Gas appliances	Gas family, nominal pressure, inlet, ignition and requested safety function.
Electric appliances	Rated supply, plug, power cord and destination-specific requirements.
Private-label scope	Logo, knobs, finish, manuals, carton artwork and requested design changes.
Packing and delivery	Carton standard, accessories, inspection basis, Incoterm and destination port.

The factory behind the product

Explore real production routes before planning your order. AOFENG manufactures in Wuyi, Zhejiang; ECOBRIDGE coordinates international sourcing from Guangzhou.

Explore the factory

Review Certificates & Reports

Tell us your model, destination and quantity.

WhatsApp +8619120045074

ecobridgegasstove@gmail.com